

FIG. 1




FIG. 2




FIG. 3A




FIG. 3B

307

```

305 <xs:sequence minOccurs="0" maxOccurs="1">
    <xs:element ref="beginLocal" minOccurs="1" maxOccurs="1" />
    <xs:element name="v2LocalField" type="xs:int" />
    <xs:sequence minOccurs="0" maxOccurs="unbounded"/>
    <xs:element ref="beginLocal" minOccurs="1" maxOccurs="1" />
    <xs:any namespace="##targetNamespace #local" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
<xs:element ref="endLocal" minOccurs="1" maxOccurs="1" />
</xs:sequence>
306 <xs:sequence minOccurs="0" maxOccurs="1">
    <xs:element name="beginGlobal" minOccurs="1" maxOccurs="1" />
    <xs:element ref="v2GlobalField"/>
    <xs:sequence minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="beginGlobal" minOccurs="1" maxOccurs="1" />
    <xs:any namespace="##other" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
<xs:element name="endGlobal" minOccurs="1" maxOccurs="1" />
</xs:sequence>
    
```

FIG. 3C




FIG. 4